

**Product group: Tattoo ink BLACK 1**  
**Premier Products – Greystar 1-4, Premier Products – Graywash 1&2,**  
**Premier Products – Turbo Black, Premier Products – Tribal Black**

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

Premier Products – Greystar 1-4  
Premier Products – Graywash 1&2  
Premier Products – Turbo Black  
Premier Products – Tribal Black

Registration number (REACH)

not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Tattoo ink  
Tattoo inks for exclusive use for tattooing process into human skin for the purpose of permanent forms and images. The processing on or in the eyeball, as well as on mucous membranes is not allowed. The listed tattoo inks are intended for professional use in accordance with Regulation 1907/2006, Annex XVII of the European Parliament and of the Council on Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

Tattoo ink in compliance with the requirements and testing regulations of EU Resolution ResAP(2008)1 and EU Regulation No. 1907/ 2006 Annex XVII (REACH)

### 1.3 Details of the supplier of the safety data sheet

Premier Products GmbH  
Teichkoppel 23  
24229 Dänischenhagen  
Germany

Telephone: +49 (0)4349 913000  
e-mail: [info@premier-products.de](mailto:info@premier-products.de)  
Website: [premier-products.de](http://premier-products.de)

e-mail (competent person)

[Heike@premier-products.de](mailto:Heike@premier-products.de) (Heike Dabrowski)

### 1.4 Emergency telephone number

Emergency information service

+49 (0)4349 9130015  
This number is only available during the following of-  
fice hours: Mon-Fri 09:00 - 17:00

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP) Complies with Regulation (EU) 2020/2081 amending Annex XVII of Regulation (EC) No.1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) as regards substances in tattoo inks or permanent make-up of 14.12.2020.

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word not required
- Pictograms not required



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Product group: Tattoo ink BLACK 1 Premier Products – Greystar 1-4, Premier Products – Graywash 1&2, Premier Products – Turbo Black, Premier Products – Tribal Black

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

- Supplemental hazard information  
EUH210 Safety data sheet available on request.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients




### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

##### Hazardous ingredients acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Ethanol	CAS No 64-17-5  EC No 200-578-6  REACH Reg. No 01-2119457610-43- xxxx	< 5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	 
Caprylyl Glycol	CAS No 1117-86-8  EC No 214-254-7  REACH Reg. No 01-2119966905-22- xxxx 01-2120769969-24- xxxx	< 5	Eye Irrit. 2 / H319 Aquatic Chronic 3 / H412	

##### Hazardous ingredients, Specific Conc. Limits, M-factors, ATE

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Ethanol	Eye Irrit. 2; H319: C $\geq 50\%$	-	-	

For full text of abbreviations: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

**Product group: Tattoo ink BLACK 1**

**Premier Products – Greystar 1-4, Premier Products – Graywash 1&2,  
Premier Products – Turbo Black, Premier Products – Tribal Black**

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

**Product group: Tattoo ink BLACK 1**  
**Premier Products – Greystar 1-4, Premier Products – Graywash 1&2,**  
**Premier Products – Turbo Black, Premier Products – Tribal Black**

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Control of effects

Protect against external exposure, such as

frost

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

this information is not available

#### Relevant DNELs of components of the mixture

Name of substance	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Caprylyl Glycol	DNEL	10.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Caprylyl Glycol	DNEL	1.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### Relevant PNECs of components of the mixture

Name of substance	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Caprylyl Glycol	PNEC	0.002 mg/l	aquatic organisms	freshwater	short-term (single instance)
Caprylyl Glycol	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Caprylyl Glycol	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Caprylyl Glycol	PNEC	0.031 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Caprylyl Glycol	PNEC	0.003 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Caprylyl Glycol	PNEC	0.003 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

**Product group: Tattoo ink BLACK 1**  
**Premier Products – Greystar 1-4, Premier Products – Graywash 1&2,**  
**Premier Products – Turbo Black, Premier Products – Tribal Black**

Version number: GHS 2.0  
 Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

## Individual protection measures (personal protective equipment)

### Eye/face protection

Wear eye/face protection.

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	black - grey
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	64.7 °C at 1,013 hPa (calculated value, referring to a component of the mixture)
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	2.5 vol% - 13.5 vol%
Flash point	not determined
Auto-ignition temperature	≥380 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	7.2 – 8.5
Kinematic viscosity	not determined

### Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	169.3 hPa at 25 °C (calculated value, referring to a component of the mixture)
-----------------	--

**Product group: Tattoo ink BLACK 1**  
**Premier Products – Greystar 1-4, Premier Products – Graywash 1&2,**  
**Premier Products – Turbo Black, Premier Products – Tribal Black**

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

## Density and/or relative density

Density	1.03 – 1.05 g/ml at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	---

## Other safety characteristics

Miscibility	Completely miscible with water.
Temperature class (EU, acc. to ATEX)	T2 (maximum permissible surface temperature on the equipment: 300°C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Product group: Tattoo ink BLACK 1 Premier Products – Greystar 1-4, Premier Products – Graywash 1&2, Premier Products – Turbo Black, Premier Products – Tribal Black

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

**Product group: Tattoo ink BLACK 1**

**Premier Products – Greystar 1-4, Premier Products – Graywash 1&2,  
Premier Products – Turbo Black, Premier Products – Tribal Black**

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

## SECTION 14: Transport information

<b>14.1 UN number or ID number</b>	not subject to transport regulations
<b>14.2 UN proper shipping name</b>	not relevant
<b>14.3 Transport hazard class(es)</b>	none
<b>14.4 Packing group</b>	not assigned
<b>14.5 Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 Special precautions for user</b>	
There is no additional information.	
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	
The cargo is not intended to be carried in bulk.	

### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

#### Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Ethanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Ethanol	flammable / pyrophoric		R40	40
Phenylpropanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Simethicone	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

#### Legend

R3

- Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and
  - present an aspiration hazard and are labelled with H304.
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of sub-





# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Product group: Tattoo ink BLACK 1 Premier Products – Greystar 1-4, Premier Products – Graywash 1&2, Premier Products – Turbo Black, Premier Products – Tribal Black

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

### Legend

- stances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
- (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
- (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
    - metallic glitter intended mainly for decoration,
    - artificial snow and frost,
    - 'whoopie' cushions,
    - silly string aerosols,
    - imitation excrement,
    - horns for parties,
    - decorative flakes and foams,
    - artificial cobwebs,
    - stink bombs.
  2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  
'For professional users only'.
  3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
  4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### Water Framework Directive (WFD)

#### List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
Ethanol		a)	

### Legend

A) Indicative list of the main pollutants

### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

### National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed

### Legend

REACH Reg. REACH registered substances

## 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

**Product group: Tattoo ink BLACK 1**  
**Premier Products – Greystar 1-4, Premier Products – Graywash 1&2,**  
**Premier Products – Turbo Black, Premier Products – Tribal Black**

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.2	Relevant identified uses: Tattoo ink  Tattoo ink in compliance with the requirements and testing regulations of EU Resolution ResAP(2008)1 and EU Regulation No. 1907/ 2006 Annex XVII (REACH)	Relevant identified uses: Tattoo ink Tattoo inks for exclusive use for tattooing process into human skin for the purpose of permanent forms and images. The processing on or in the eyeball, as well as on mucous membranes is not allowed. The listed tattoo inks are intended for professional use in accordance with Regulation 1907/ 2006, Annex XVII of the European Parliament and of the Council on Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).  Tattoo ink in compliance with the requirements and testing regulations of EU Resolution ResAP(2008)1 and EU Regulation No. 1907/ 2006 Annex XVII (REACH)	yes
2.3	Other hazards: of no significance	Other hazards	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$ .	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$ .	yes
8.1	Control parameters: This information is not available.	Control parameters: Occupational exposure limit values (Workplace Exposure Limits) this information is not available	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$ .	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$ .	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)

**Product group: Tattoo ink BLACK 1**  
**Premier Products – Greystar 1-4, Premier Products – Graywash 1&2,**  
**Premier Products – Turbo Black, Premier Products – Tribal Black**

Version number: GHS 2.0  
Replaces version of: 2022-01-24 (GHS 1)

Revision: 2023-10-06

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.